

## DICOM Correction Proposal

STATUS	Assigned
Date of Last Update	2016/11/21
Person Assigned	David Clunie <dclunie@dclunie.com
Submitter Name	Harry Solomon
Submission Date	2016/02/22

Correction Number	CP-
Log Summary:	Add Note to TID1210/1211 Equivalent Concept
Name of Standard	PS3.16
Rationale for Correction:	With the addition of an equivalent concept code by CP1031, notes should be added to TID 1210 and 1211, which define SR templates for the same purpose.
Correction Wording:	

***Amend PS3.16 TID 1210***

### TID 1210 Equivalent Meaning(s) of Concept Name

Defines a mechanism for specifying one or more equivalent meanings for the Concept Name of the parent Content Item.

**Type:** Non-Extensible  
**Order:** Significant  
**Root:** No

**Table TID 1210. Equivalent Meaning(s) of Concept Name**

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	TEXT	EV (121050, DCM, "Equivalent Meaning of Concept Name")	1-n	MC	XOR Row 3	Plain text equivalent of code meaning of the concept name of the Content Item being modified, in the specified language from the specified country, using the default character set or a character set selected from Specified Character Set
2	>		INCLUDE	DTID 1201 "Language of Value"	1	U		
3		HAS CONCEPT MOD	CODE	EV (121050, DCM, "Equivalent Meaning of Concept Name")	1-n	MC	XOR Row 1	
4	>		INCLUDE	DTID 1201 "Language of Value"	1	U		

**Note**

**A coded equivalent meaning for the Concept Name can also be included using the attribute Equivalent Code Sequence (0008,0121) in the Concept Name Code Sequence (0040,A043) (see PS3.3 Section 8.9)**

## TID 1211 Equivalent Meaning(s) of Value

Defines a mechanism for specifying one or more equivalent meanings for the Value of the parent Content Item.

**Type:** Extensible

**Order:** Significant

**Root:** No

**Table TID 1211. Equivalent Meaning(s) of Value**

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	TEXT	EV (121051, DCM, "Equivalent Meaning of Value")	1-n	MC	XOR Row 3	Plain text equivalent of code meaning of the value of the Content Item being modified, in the specified language from the specified country, using the default character set or a character set selected from Specified Character Set
2	>		INCLUDE	DTID 1201 "Language of Value"	1	U		
3		HAS CONCEPT MOD	CODE	EV (121051, DCM, "Equivalent Meaning of Value")	1-n	MC	XOR Row 1	
4	>		INCLUDE	DTID 1201 "Language of Value"	1	U		

### Note

- For example, to describe a longer, more meaningful equivalent (in the same language) for a procedure code than is defined in a coding scheme:

CODE: (121023, DCM, "Procedure Code") = (50291CC, ICD10PCS, "IMAGING:CNS:CT:SELLA:LOWOSMOLAR:IT, U, E:2PLANE3D")

> *HAS CONCEPT MOD* TEXT: (121051, DCM, "Equivalent meaning of value") = "imaging study central nervous system of the sella turcica/pituitary gland with low osmolar contrast intrathecal, unenhanced and enhanced, in two planes with 3D reconstructions"

- For example, to specify a concept name and value in both French and English in Canada:

CODE:(T-D0005, SRT, "Anatomical structure") = (T-04000, SRT, "Breast")

> *HAS CONCEPT MOD* CODE: (121048, DCM, "Language of name and value") = (en-CA, RFC3066, "English, Canada")

> *HAS CONCEPT MOD* CODE: (121050, DCM, "Equivalent meaning of concept name") = (T-D0005, SRT, "Structure de l'anatomie")

>> *HAS CONCEPT MOD* CODE: (121047, DCM, "Langue de la valeur") = (fr-CA, RFC3066, "Français, Canadien")

> *HAS CONCEPT MOD* CODE: (121051, DCM, "Equivalent meaning of value") = (T-04000, SRT, "Sein")

>> *HAS CONCEPT MOD CODE*: (121047, DCM, "Langue de la valeur") = (fr-CA, RFC3066, "Français, Candie")