



Secretariat: MITA/NEMA
1300 North 17th Street, Suite 900
Arlington, VA 22209, USA
[http://www.dicomstandard.org/
dicom@dicomstandard.org](http://www.dicomstandard.org/dicom@dicomstandard.org)
+1-703-841-3259

MINUTES
DICOM WG-06 BASE STANDARD
(CORRECTION PROPOLSALS T-CON)

January 6, 2020

WG-06 Voting Members Present **Represented by**

Agfa HealthCare	Paul Seifert
GE Healthcare	Steve Nichols
JIRA	Akihiro Yomoda
Philips	Wim Corbijn
PixelMed	David Clunie

WG-06 Voting Members Present **Represented by**

ACR	Jim Philbin
Canon Medical Research	Kevin O'Donnell
Fairhaven Technologies	Rob Horn
Konica Minolta Healthcare	Michael Laconti
Siemens Healthcare GmbH	Bjorn Nolte

Alternate Voting Representatives,
Observers, Others Present

Brainlab	<u>Represented by</u> Christof Schadt
Elekta	Jim Percy
MITA/DICOM	Luiza Kowalczyk
CSImed UG	Uwe Tronnier

Presiding Officers

Bjorn Nolte, Siemens, Producer Co-Chair
David Clunie, PixelMed, DICOM Editor

DICOM Secretariat

Luiza Kowalczyk, DICOM Secretariat

1. **Opening**

1.1 Open the meeting and roll call at 10:00 US ET.

1.2 Review of antitrust and DICOM patent rule.

1.3 Agenda was approved.

2. **Topics discussed:**

- Discussed CPs from CPack-104/FTs.
- Discussed new CPs
- Updated CP spreadsheet **will be posted** in the meeting folder:
<ftp://medical.nema.org/MEDICAL/Private/Dicom/WORKGRPS/Wg06/2020/2020-01-13/>

3. **Review Correction Proposals (CPs)**

a. **Final Texts**

- **CP1479- It will be discussed at the upcoming WG-06 mtg next week.**

The following CPs were approved for Final Text during today's call.

- CP1861-FT
- CP1862-FT
- CP1889-FT
- CP1919-FT
- CP1920-FT
- CP1922-FT
- CP1924-FT
- CP1925-FT
- CP1928-FT
- CP1929-FT
- CP1930-FT
- CP1931-FT
- CP1932-FT
- CP1933-FT
- CP1935-FT
- CP1936-FT
- CP1937-FT
- CP1938-FT
- CP1940-FT
- CP1941-FT
- CP1942-FT
- CP1943-FT
- CP1945-FT
- CP1946-FT
- CP1947-FT

- CP1948-FT
- CP1949-FT
- CP1952-FT
- CP1953-FT
- CP1954-FT
- b. New CPs:**
- cp_dac528_keywordsforUIDs.pdf – CP1995
- cp_dac529_DublinCoreICD11UIDs.pdf - CP1996
- cp_dac530_keywordsForCodes.pdf - CP1997
- cp_dac531_TID1500optionalityForAIUseCases.pdf – CP1998
- cp_dac532_TID1501NonMeasurementCoordImageReferences.pdf – CP1999
- cp_dac533_AngleMeasurementCodesAndTemplates.pdf – CP2000
- cp_dac534_AddToGeneralVolumeCalculationMethods.pdf – CP2001
- cp_dac535_AddToBrainFramesOfReference.pdf – CP2002
- cp_dac536_MultienergyCTCharacteristicsMacroDerivationAlgorithmSequenceItemCount.pdf – CP2003 **(Question for WG-21 CT)**
- cp_dac537_ReplaceDCMSoftTissueCodeWithSNOMED.pdf – CP2013
- cp_new_08_part16_IAASR_UT_v01_TID11008_Correct condition in TID 11020.doc – CP2014
- cp_new_09_part16_IAASR_UT_v01_TID1004_Move UDI from mandatory to optional.doc – CP2015
- cp_new_10_part16_IAASR_UT_v01_TID1004_Introduce three new CID71 codes .doc – CP2016
- cp_RT136_03_MakeFrameAnatomyModuleinParametricMapConditional.doc – CP2004
- cp_RT143_03_DeformableRegistrationCodes.doc – CP2005
- cp_RT144_01_FORuseMissingInCompositelODTable.doc – no number; done
- cp_RT145_04_UnattachedContours.docx – CP-2006
 - **This CP should be discussed more, maybe at the next F2F mtg or schedule a separate t-con, WG-07 RT.**
- cp_RT147_01_DoseReferenceUIDInBrachyApplicationSetup.doc – CP-2007
- cp_RT149_01_AddSynchronizationModuletoCTIOD.docx – CP-2008
- cp_wc28_TID 1406 incorrect Row reference.docx – no need for a CP, no number.
- cp_wc29_Update use of may to shall for mandatory usage.docx – CP2009
- CPxxxx New ImageType ENERGY_VRPROP_WT.doc – CP2010
 - Assigned to Bjorn Nolte.
- CPxxxxx Alternative Dose Aler1.doc – CP2011
 - Assigned to Bjorn Nolte
- DICOM_WG-06_CP_CsG.doc –No number, just editorial change
- DICOM_WG-06_CPXX-Add_Tag_to_Confidentiality_Profiles.doc - CP2012
- c. January Voting Package; CPack-105.**
- cp1733_vp_wsianatomycodes.pdf

- cp1955_vp_DateTimeInUID.pdf
- cp1956_vp_ihtsdoJul2019INTreleaseupdate.pdf
 - Contrast folks should read this CP, nothing to do, just informational purpose.
- cp1957_vp_useLOINChheadingseverywhere.pdf
- cp1958_vp_FAI.pdf
- cp1959_vp_biliaryanatomy.pdf
- cp1960_vp_incorrectuniversuslateralvessels.pdf
- cp1961_vp_moregeneralusdocumenttitles.pdf
- cp1963_vp2_selectedprecoordinatedanatomy.pdf
- cp1965- Rob Horn needs to upload the most updated version of this CP; Luiza will email Rob.
- cp1973_vp_KeyObjectSelectionDocument.pdf
- cp1979_vp_01_part16_IAASR_UT_v03_TID11005_wrong_CID_for_Consumable_is_New.doc
- cp1980_dft_01_part16_IAASR_UT_v02_TID11004_mandatory_unitOfPresentation_cannot_alway_be_given.doc

4. **Next CPs t-con:**

- T-cons will be scheduled during next week's face to face mtg.

In-Person

- January 13-17, 2020, [MITA HQ, Arlington, VA, USA](#)

CP t-cons:

Dial in info: <http://workspaces.nema.org/dicom/Lists/Calendar/calendar.aspx>

5. **Adjournment**

The meeting was adjourned at 11:30 US ET

Submitted by Luiza Kowalczyk, DICOM Secretariat

Reviewed by counsel: Clark Silcox, January 6, 2020.