Secretariat: NEMA/MITA
1812 N. Moore St, Suite 2200
Arlington, VA 22209, USA
www.dicomstandard.org

MINUTES

JOINT VIRTUAL TELECONFERENCE OF

WORKING GROUP TWO (WG-02) (Projection Radiography and Angiography) **and**
WORKING GROUP TWENTY-EIGHT (WG-28) (Physics)

Logistics: **July 1, 2025 | 9:00-11:00am EDT**

Presiding Officers: Francisco Sureda, Chair WG-02
Annalisa Trianni, Co-Chair WG-28
Nick Bevins, Co-Chair WG-28

Secretariat: Shayna Knazik (NEMA/MITA)
Alberto Torresin (EFOMP)

Voting Members Present:	**Represented by:**
AAPM	Nick Bevins
AAPM	Kevin Little, Alt. Voting
ADA	Trishul Allareddy
EFOMP	Alberto Torresin
ESR	Annalisa Trianni
GE HealthCare	Francisco Sureda
NEMA/MITA	Shayna Knazik
PACS Health	Steve Massey
Self	Heinz Blendinger
Siemens Healthineers	Julien Erath

Voting Members Not Present:	**Represented by:**
IPEM/British Institute of Radiology	Ed McDonagh
*JSRT	Minoru Kawamata
*JSRT	Hiroshi Sakamoto
*Philips	P. Prasad
*Sir Ketumile Masire Hospital Botswana	Tonic Motswakgomo

*Not present at two consecutive meetings and therefore not counted for quorum

Others Present:	Represented by:
AAPM	Bruce Curran
GE HealthCare	Steve Nichols
Philips	Jeroen Medema

1. Administrative Items

- The teleconference was called to order.
- Staff reminded members of the Guidelines for Conducting NEMA Meetings and DICOM Patent Disclosure Policy.
- The agenda was reviewed.
- The previous meeting minutes from April 28-30, 2025 meeting were reviewed and approved.

2. Correction Proposals (CPs)

- Members reviewed the advances of CPs discussed in previous meetings, as well as new CPs related to the scope of WG-02 and WG-28.

Number	Name	Submitted	Assigned	Coded Status	Comments/Actions for WG-02 & WG-28
CP-1915	Adapt definition of FocalSpot (0018,1190) to comply with IEC60336 section 8.3	Till Hoenig	Björn Nolte	Assigned	Till reported that this has been suspended in WG-21 because there was no driver/immediate need. Will continue to monitor.
CP-1964	Improve the definition of pixel spacing	Wim Corbijn	Wim Corbijn	Assigned	The group discussed the cancellation of this CP with Jeroen Medema. WG-02/WG-28 suggested to cancel this CP and propose a Part 17 CP. The group will stop tracking this CP.
CP-2322	Record Vendor-specific CT Image Quality Reference Parameters	Till Hoenig	Kevin O'Donnell/ Björn Nolte	Assigned	Nick Bevins reported that WG-21 is still drafting this CP on their monthly calls. Action: Nick will circulate a current version of the CP.
CP-2449	Add Description to Patient Location Fiducial in TID 10002 Accumulated X-Ray Dose	Francisco Sureda	Steve Nichols	CPack-132	This CP will be included in the CPack-132 Letter Ballot which will be circulated after the WG-06 June Meeting.
CP-2461	Add rows to intended use of dose calibration in RDSR	Kinoshita Go	Kinoshita Go	CPack-132	This CP will be included in the CPack-132 Letter Ballot which will be circulated after the WG-06 June Meeting.
CP-2470	Add organ dose ref authorities and attenuator categories, materials	Nick Bevins	Nick Bevins	CPack-132	This CP will be included in the CPack-132 Letter Ballot which will be circulated after the WG-06 June Meeting.
CP-2471	Correct Shared FG SQ description and inconsistencies	Heinz Blendinger	Wim Corbijn	CPack-132	This CP will be included in the CPack-132 Letter Ballot which will be circulated after the WG-06 June Meeting.
New CP	Updated Breast Dosimetry	Kevin Little	n/a	n/a	The group discussed the feedback received from WG-15 Mammography. Action: Kevin will incorporate the feedback into this CP then recirculate to WG-15. Nick or Kevin will then let Shayna know when it is ready to be moved to the New CP folder for the next WG-06 meeting.
New CP	Add clarifications and improvements to Display Shutter Module	Jeroen Medema	n/a	n/a	Jeroen Medema joined the teleconference to receive feedback from the group on his new CP. The group will

					request feedback from their organizations and respond to Jeroen directly.
New CP	Extend X-Ray Frame Acquisition Macro	Jeroen Medema	n/a	n/a	The group provided feedback.

3. **Supplement 245 on RDSR Informative Annex**
   - Members reviewed feedback received at the June 2025 WG-06 meeting.

4. **New Supplement on DX and RF Modality Protocol Storage**
   - Members will continue to monitor.

5. **Future Meeting Dates**
   - Virtual teleconference before fall meeting: Sept 30, 9-11am Eastern
     - Action: Shayna will schedule this teleconference.
   - Fall 2025 meeting – Portland, Maine from October 20-22, 2025
   - Spring 2026 meeting – tentatively targeting Versailles, France

6. **New/Old Business**
   - Nuclear Medicine Objects Update: None at this time.

7. **Adjournment**
   - The call was adjourned at 10:57am.