

2019/09/16

The following changes have been made relative to the previously published PS3 2019c release of the standard, by incorporating the changes specified in the supplements and correction items.

The Final Text of all applied Supplements and Correction Proposals is available at <ftp://medical.nema.org/medical/dicom/final/>

Production Notes

The DocBook XML files are the source format, and all other formats are rendered from it.

The PDF format is rendered from the DocBook XML, and remains the "official" (authoritative) form of the standard. The PDF contains hyperlinks to sections, figures and tables both within and between parts (which in the latter case work if you are reading the PDF in a tool that supports linking to other parts).

The two HTML formats are provided for the convenience of those who find them easier to navigate within a browser, and though the appearance and organization is different, the content is the same. One form consists of entire parts in one very large HTML page, and the other consist of chunks of sections with navigation elements. Both forms are hyper-linked within and between parts. The figures in the HTML are SVG, so a browser that supports SVG is required (most contemporary browsers do).

All paragraphs (<p/> elements) in the HTML files of this release, are uniquely identified with a hypertext anchor (<a/> element), each of which has an id attribute (derived from the source DocBook <para/> element xml:id attribute). These unique identifiers will remain stable in subsequent releases, so they may be reliably used as the persistent targets of hyperlinks relative to the current release base URL, and are more specific than the existing anchors for entire sections or tables. Unlike the section and table anchors, there is no semantic significance to the syntax of the identifiers (i.e., they are UUIDs, rather than being derived from the section or table numbering pattern). Subsequent releases will add new identifiers for new paragraphs and text split out of existing paragraphs into new paragraphs, and will, if possible, empty, rather than entirely remove, existing paragraphs that are retired (in order to avoid dead links).

The chunked HTML format includes navigation elements in the header and footer, as well as a hyperlink to the current release of that page, in case the user happens to find or be using an older release of the page.

The DOCX (for Word) and ODT (for OpenOffice or LibreOffice) formats are provided for the convenience of future Supplement and CP editors. Their main claim to fame is that they exist at all, and though they are viewable and editable, they are lacking many features of the Word source of previous release, for example the use of styles for section headings. They do contain embedded hyperlinks, and these are also present in the table of contents, even though the page numbers rendered in the table of contents may be meaningless. To reiterate, the intent of these files is to provide a source to cut and past into new Word documents, and not to be functional documents in their own right. Since Word does not support SVG, all figures embedded in the DOCX files have been rasterized to a fixed resolution and are adequate for position only and are not editable and are not intended to be a substitute for the SVG figures.

The rendering pipeline used to produce these files is available but requires some expertise to use it. It is not supported. To achieve quality rendering, the use of some commercial tools was necessary, to supplement the many open source tools that were also used. Oxygen (commercial) was used as the XML editor since it supports a WYSIWG authoring mode. OpenOffice (open source) was used as the equation editor. The DocBook (open source, version docbook-xsl-ns-1.78.1) style sheets were used to create the HTML and intermediate FO form used to create the PDF and DOCX. MathML equations were converted to SVG using pMML2SVG (open source, version pMML2SVG-0.8.5). RenderX XEP (commercial) was used to produce the PDF, and XMLmind FO-Converter (commercial) was used to produce the DOCX. The difference files were produced using DeltaXML DocBook Compare (commercial). The PDF files were post-processed with pdfd to generate object streams to reduce the size of the tagged PDF and improve searching for strings that span lines within tables and to linearize the files for streamed web page viewing.

Some characteristics of the DocBook XML may be of interest to those performing automated processing or extraction:

- Zero width spaces (U+200B) are used in some places to allow long words (such as PS3.6 keywords and UIDs) to break within table columns and avoid tables becoming too wide to fit on a page. These need to be filtered out before using these words literally.
- Enumerated values and defined terms are formalized in PS3.3 as DocBook variablelist elements with a title identifying them as such, to facilitate their automated detection and extraction.
- Template and context group tables in PS 3.16 are preceded by variablelist elements defining whether or not they are extensible, etc., again to enable automated extraction.

- Hyperlinks (xref and link elements) are used extensively but may obscure the identifier of what is being linked to from the perspective of automated extraction. It may be useful to consult the olink targetdb files that are included in the package to "look up" the target of such links, rather than reinventing this mechanism, which is used by the DocBook stylesheets for cross-document linking. E.g., one can look up "sect_TID_300" in "output/html/targetdb/PS3_16_target.db" to determine that it has a "number" of "TID 300" and a "ttl" of "Measurement", etc.

Changes to Parts

General Changes

•

PS3.1

PS3.2

- Sup 175
- Sup 202

PS3.3

- Correct changes to alternative occurrences of Referenced Presentation State Sequence in Table C.11.17-1 Structured Display Image Box Attributes to match Sup 156
- Correct reference to be to Source rather than Path Attributes in Table C.8-124 CT Exposure Macro Attributes to match Sup 188
- Change "Date Time" to "DateTime" for multi-energy elements to match usage for all other elements
- Add missing RADIOTHERAPY term in Table F.3-3 that is required by other directory record related additions from Sup 147
- Sup 175 (FT3)
- Sup 202
- CP 1879
- CP 1880

PS3.4

- Correct nesting of second paragraph for U/U in Section H.2.4.
- Sup 175

PS3.5

- Sup 202
- CP 1877

PS3.6

- Change "Date Time" to "DateTime" for multi-energy elements to match usage for all other elements
- Sup 175 (FT4)
- Sup 202
- CP 1879

PS3.7**PS3.8****PS3.10****PS3.11****PS3.12****PS3.14****PS3.15**

- Sup 175
- Sup 202
- CP 1878

PS3.16

- Remove duplicate entries in translation table
- Update all FMA hyperlinks to indirect through purl.org, which then goes to current browser
- Add ICD 11 extension hyperlinks to CID 4029 and correct ICD 11 code for skin of umbilicus
- Make knee paired structure
- Correct data element tag for Device UID, and add missing row for TID 1004 (that was added by CP 1856)
- Correct various SRT column entries that are still SCT codes (not fixed when CP 1850 applied)
- Remove paired anatomy entries for retired SNOMED concepts for left and right outflow chambers
- Sup 175
- Sup 202
- CP 1808
- CP 1865
- CP 1876
- CP 1883
- CP 1884

PS3.17

- Sup 202
- CP 1808

PS3.18

- CP 1882

PS3.19**PS3.20****PS3.21****PS3.22**

- Sup 202

Supplements Incorporated

Sup 175 Second Generation Radiotherapy – C-Arm RT Treatment Modalities

Sup 202 Real-Time Video

Correction Items Incorporated

CP 1808 Update DICOM to reflect changes in IHTSDO SNOMED CT-DICOM Subset for JUL 2018 and JAN 2019 INT Release

CP 1865 Concept Codes for use of UPS in RT Treatment Sessions

CP 1876 TID 1501 should pass ImagePurpose and WavePurpose parameters to TID 300

CP 1877 Prohibit Uncompressed Transfer Syntax With Very Large Pixel Data

CP 1878 Add Part 15 definitions to RT Physician's Intent and RT Segment Annotation

CP 1879 Retire Beam Dose Specification Point

CP 1880 Update Linear Exact and Sigmoid formula

CP 1882 Handling of private attributes in C-FIND and QIDO-RS

CP 1883 Retire DCM code for Digital Mammography and replace with LOINC code

CP 1884 Procedure reported value set should be baseline not defined