

DICOM Correction Proposal

STATUS	Final Text
Date of Last Update	2013/06/17
Person Assigned	Andrei Leontiev (andrei.leontiev@ge.com)
Submitter Name	B Arun (B.Arun@geind.ge.com)
Submission Date	2012/10/05

Correction Number	CP-1275
Log Summary: Correct PS3.19 example	
Name of Standard PS3.19 2011	
Rationale for Correction: The name of the Native DICOM Model specified in A.1.5 is spelled incorrectly when used in section A.1.1, Figure A.1.4-1 and in section A.1.7.	
Correction Wording:	

Correct in Section A.1.1 two occurrences

A.1 NATIVE DICOM MODEL

A.1.1 Usage

...

With the exception of padding, a data source that is creating a new instance of a ~~n~~**Native** DICOM Model (e.g. the result from some analysis application) shall follow the DICOM encoding rules (e.g. the handling of character sets) in creating Values for the DicomAttributes within the instance of the ~~DICOM~~-Native **DICOM** Model.

Replace Figure A.1.4-1 with corrected version in this CP

A.1.5 A.1.4 Information Model

A diagram of the Native DICOM Model appears in Figure A.1.4-1.




Figure A.1.4-1 Native DICOM Model

Description

Table A.1.5-1 Native DICOM Model

Name	Optionality	Cardinality	Description
NativeDicomModel	R	1	An Infoset ...
Include 'DICOM DataSet Macro' Table A.1.5-2			

A.1.7 Examples

Here is an example XPath query to extract the code meaning of the first item in the View Code Sequence:

```
/DicomNativeDicomModel/DicomAttribute[@keyword="ViewCodeSequence"]/Item[@number=1]/  
/DicomAttribute[@keyword="CodeMeaning"]/Value[@number=1]
```