

DICOM Correction Item

Correction Number	CP-134
Log Summary: Add Instance Number to DICOM RT Objects	
Type of Modification: Extension	Name of Standard PS 3.3-1999
<p>Rationale for Correction:</p> <p>Change Proposal 99 (Extended Query Retrieve Model) requires that the Attribute Instance Number (0020, 0013), formerly Image Number, be added as an optional attribute in all Composite non-image objects that do not already contain it.</p> <p>This proposal implements this requirement in existing DICOM objects RT Dose, RT Structure Set, and RT Plan.</p>	
<p>Sections of document affected:</p> <p>DICOM 1999 Part 3 (Information Object Definitions), Sections C.8.8.3 (RT Dose Module), C.8.8.5 (Structure Set Module), and C.8.8.9 (RT General Plan Module).</p>	
<p>Correction Wording:</p> <p>In DICOM 1999 Part 3 Table C.8-35 (RT Dose Module), the following new attribute should be added immediately following the Dose Type (3004,0004) attribute:</p> <p>Instance Number (0020,0013) 3 A number that identifies this object instance.</p> <p>In DICOM 1999 Part 3 Table C.8-37 (Structure Set Module), the following new attribute should be added immediately following the Structure Set Description (3006,0006) attribute:</p> <p>Instance Number (0020,0013) 3 A number that identifies this object instance.</p> <p>In DICOM 1999 Part 3 Table C.8-41 (RT General Plan Module), the following new attribute should be added immediately following the RT Plan Description (300A,0004) attribute:</p> <p>Instance Number (0020,0013) 3 A number that identifies this object instance.</p>	