

## DICOM Correction Proposal

Status	Final Text
Date of Last Update	2015/06/02
Person Assigned	James Philbin <james.philbin@jhmi.edu>
Submitter Name	Jonathan Whitby <jwhitby@vitalimages.com>
Submission Date	2014/03/31

Correction Number	CP-1402
Log Summary:	Add UI Value Representation to Hanging Protocol Selector attributes
Name of Standard	PS3.3, PS3.6 2015b
Rationale for Correction:	PS 3.3 C.23.1.1.2 indicates that Hanging Protocol Image Sets can select Presentation States or Key Object Selection Documents by using their SOP Class UIDs as one of the matching criteria. However, the selector attribute macro does not have an option to specify an attribute with a VR of UI.
Correction Wording:	

Update PS 3.3 Table C.23.4-2. Hanging Protocol Selector Attribute Value Macro Attributes as indicated

**Table C.23.4-2  
Hanging Protocol Selector Attribute Value Macro Attributes**

Attribute Name	Tag	Type	Attribute Description
Selector AT Value	(0072,0060)	1C	The value(s) of the attribute identified by Selector Attribute (0072,0026) Required if Selector Attribute VR (0072,0050) is present and the value is AT.
...			
Selector Code Sequence Value	(0072,0080)	1C	The value(s) of the attribute identified by Selector Attribute (0072,0026). One or more Items shall be included in this sequence. See C.23.4.2.1.2. Required if Selector Attribute VR (0072,0050) is present and the value is SQ, and Selector Attribute (0072,0026) is a code sequence.
>Include Code Sequence Macro Table 8.8-1			No baseline context ID is defined.
<b>Selector UI Value</b>	<b>(0072,007F)</b>	<b>1C</b>	<b>The value of the attribute identified by Selector Attribute (0072,0026). Required if Selector Attribute VR (0072,0050) is present and the value is UI.</b>

Add the following rows to PS3.6 Section 6

<b>Tag</b>	<b>Name</b>	<b>Keyword</b>	<b>VR</b>	<b>VM</b>
<b><u>(0072,007F)</u></b>	<b><u>Selector UI Value</u></b>	<b><u>SelectorUIValue</u></b>	<b><u>UI</u></b>	<b><u>1-n</u></b>