

DICOM Correction Item

Correction Number	CP-759
Log Summary: Update Cardiovascular Patient History	
Type of Modification	Name of Standard
Modification	PS 3.16
<p>Rationale for Correction</p> <p>The templates for Cardiovascular Patient History, originally adopted in Supplement 66, do not reflect current consensus on the structure of patient history data (e.g., as exemplified by the HL7 Care Record Summary and Continuity of Care Document Implementation Guides). Alignment with standard structures will facilitate the flow of patient history data from electronic medical record systems into DICOM Structured Reports.</p> <p>Further, the nomenclature currently used in these templates is tied to the NCDR version 2.0b registry data structures. As NCDR is now moving to its version 3, and to harmonize with international use, the nomenclature should be transitioned to the SNOMED vocabulary.</p> <p>This change introduces a revised Cardiovascular Patient History structure to be used in the Cath, CT/MR Angio, and future SR templates.</p>	
<p>Sections of documents affected:</p> <p>PS 3.16 Annexes A, B, and D</p>	
Correction Wording:	

Modify the following template in PS3.16 Annex A

TID 3802 Cardiovascular Patient History

This template contains information about a cardiovascular patient's past medical history **that is relevant for the interpretation of the SR document of which it is part**. This information is considered to have some degree of "persistence" across different episodes **of care**.

TID 3802 Cardiovascular Patient History Type: Extensible

	NL	Relation with Parent	Value Type	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121060, DCM, "History")	1	M		
2	>	CONTAINS	TEXT	EV (121060, DCM, "History")	1	U		
3	≥	<u>CONTAINS</u>	<u>CONTAINER</u>	<u>DT (11450-4, LN, "Problem List")</u>	1	<u>U</u>		
4	≥	<u>CONTAINS</u>	<u>TEXT</u>	<u>DCID (3769) Concern Types</u>	1-n	<u>U</u>		
5	≥	<u>CONTAINS</u>	<u>INCLUDE</u>	<u>DTID (3829) Problem Properties</u>	1-n	<u>U</u>		<u>\$Problem = DCID (3756) Cardiac Patient Risk Factors</u>

6	>>	<u>CONTAINS</u>	<u>INCLUDE</u>	<u>DTID (3829) Problem Properties</u>	1	<u>U</u>		<u>\$Problem = EV (G-023F, SRT, "History of Diabetes mellitus")</u> <u>\$Therapy = DCID (3722) Diabetic Therapy</u>
7	>>	<u>CONTAINS</u>	<u>INCLUDE</u>	<u>DTID (3829) Problem Properties</u>	1	<u>U</u>		<u>\$Problem = EV (G-0269, SRT, "History of Hypertension")</u> <u>\$Therapy = DCID (3760) Hypertension Therapy</u>
8	>>	<u>CONTAINS</u>	<u>INCLUDE</u>	<u>DTID (3829) Problem Properties</u>	1	<u>U</u>		<u>\$Problem = EV (R-102B8, SRT, "History of Hypercholesterolemia")</u> <u>\$Therapy = DCID (3761) Antilipemic agents</u>
9	>>	<u>CONTAINS</u>	<u>INCLUDE</u>	<u>DTID (3829) Problem Properties</u>	1	<u>U</u>		<u>\$Problem = EV (D3-30000, SRT, "Arrhythmia")</u> <u>\$Therapy = DCID (3762) Antiarrhythmic agents</u>
10	>>	<u>CONTAINS</u>	<u>INCLUDE</u>	<u>DTID (3829) Problem Properties</u>	1	<u>U</u>		<u>\$Problem = EV (G-03AA, SRT, "History of Myocardial infarction")</u> <u>\$ModType = DT (122170, DCM, "Type of Myocardial Infarction")</u> <u>\$ModValue = DCID (3723) MI Types</u> <u>\$Therapy = DCID (3764) Myocardial Infarction Therapies</u>
3	>	CONTAINS	CODE	DCID (3721) Cath Patient History	1-n	U		DCID (230) Yes-No
4	>	CONTAINS	CODE	DCID (3756) Cath Patient Risk Factors	1-n	U		DCID (240) Present-Absent
5	>	CONTAINS	DATE	DCID (3720) Cardiac History Dates	1-n	U		
6	>	CONTAINS	CODE	EV (36, NCDR [2.0b], "Previous Myocardial Infarction, > 1 week prior")	4	U		-DCID (230) Yes-No
7	>>	HAS PROPERTIES	CODE	DT (122170, DCM, "Type of Myocardial Infarction")	4	U		DCID (3723) MI Types
8	>	CONTAINS	CODE	EV (31.1, NCDR [2.0b], "Diabetic Therapy")	4	U		DCID (3722) Diabetic Therapy
9	>	CONTAINS	CODE	EV (39.1, NCDR [2.0b], "Lipid Lowering Therapy")	4	U		DCID (230) Yes-No
11	>	<u>CONTAINS</u>	<u>CONTAINER</u>	<u>DT (29762-2, LN, "Social History")</u>	1	<u>U</u>		
12	>>	<u>CONTAINS</u>	<u>TEXT</u>	<u>EV (F-02455, SRT, "Social History")</u>	1	<u>U</u>		
13	>>	<u>CONTAINS</u>	<u>TEXT</u>	<u>DCID (3774) Social History</u>	1-n	<u>U</u>		
14	>>	CONTAINS	CODE	EV (38, NCDR [2.0b], "Smoking History") (F-93109, SRT, "Tobacco Smoking Behavior")	1	U		DCID (3724) Smoking History
15	>>	<u>CONTAINS</u>	<u>CODE</u>	<u>DT (F-931D4, SRT, "Drug misuse behavior")</u>	1	<u>U</u>		<u>DT (D9-30400, SRT, "Cocaine Abuse")</u>

16	≥	<u>CONTAINS</u>	<u>CONTAINER</u>	<u>DT (10167-5, LN, "Past Surgical History")</u>	1	<u>U</u>		
17	≥	<u>CONTAINS</u>	<u>TEXT</u>	<u>EV (121060, DCM, "History")</u>	1-n	<u>U</u>		
18	≥	<u>CONTAINS</u>	<u>INCLUDE</u>	<u>DTID (3830) Procedure Properties</u>	1-n	<u>U</u>		<u>\$ProcType = DT (P0-009C3, SRT, "Surgical Procedure")</u> <u>\$Procedure = DCID (3721) Cardiovascular Surgeries</u>
19	≥	<u>CONTAINS</u>	<u>CONTAINER</u>	<u>DT (30954-2, LN, "Relevant Diagnostic Tests and/or Laboratory Data")</u>	1	<u>U</u>		
20	≥	<u>CONTAINS</u>	<u>TEXT</u>	<u>EV (121060, DCM, "History")</u>	1-n	<u>U</u>		
21	≥	<u>CONTAINS</u>	<u>INCLUDE</u>	<u>DTID (3830) Procedure Properties</u>	1-n	<u>U</u>		<u>\$ProcType = DT (P0-00002, SRT, "Diagnostic procedure")</u> <u>\$Procedure = DCID (3757) Cardiac Diagnostic Procedures</u>
44	>	CONTAINS	COMPOSITE	EV (122075, DCM, "Prior report for current patient")	1-n	<u>U</u>		
42	>>	HAS PROPERTIES	CODE	EV (121144, DCM, "Document Title")	4	<u>U</u>		
43 22	>	CONTAINS	CONTAINER	DT (10160-2, LN, "History of Medications")	1	<u>U</u>		
44 23	>>	CONTAINS	TEXT	DT (111516, DCM, "Medication Type")	1-n	<u>U</u>		
45 24	>>>	HAS PROPERTIES	CODE	<u>EV (111528, DCM, "Ongoing") DT (33999-4, LN, "Status")</u>	1	<u>U</u>		<u>DCID (230) Yes-No (3773) Use Status</u>
46 25	>>	CONTAINS	CODE	DT (111516, DCM, "Medication Type")	1-n	<u>U</u>		
47 26	>>>	HAS PROPERTIES	NUM	DT (G-C0B7, SRT, "Dosage")	1	<u>U</u>		
48 27	>>>	HAS PROPERTIES	CODE	<u>EV (111528, DCM, "Ongoing") DT (33999-4, LN, "Status")</u>	1	<u>U</u>		<u>DCID (230) Yes-No (3773) Use Status</u>
28	≥	<u>CONTAINS</u>	<u>CONTAINER</u>	<u>DT (10157-6, LN, "History of Family Member Diseases")</u>	1	<u>U</u>		
29	≥	<u>CONTAINS</u>	<u>TEXT</u>	<u>EV (121060, DCM, "History")</u>	1-n	<u>U</u>		
30	≥	<u>CONTAINS</u>	<u>CODE</u>	<u>EV (G-03E5, SRT, "Family history of clinical finding")</u>	1-n	<u>U</u>		<u>DCID (3758) Cardiovascular Family History</u>
31	>>>	HAS PROPERTIES	CODE	<u>EV (G-C32E, SRT, "Subject relationship")</u>	1	<u>M</u>		<u>DCID (7451) Family Member</u>
32	≥	<u>CONTAINS</u>	<u>CONTAINER</u>	<u>DT (46264-8, LN, "History of medical device use")</u>	1	<u>U</u>		
33	≥	<u>CONTAINS</u>	<u>TEXT</u>	<u>EV (121060, DCM, "History")</u>	1	<u>U</u>		
34	≥	<u>CONTAINS</u>	<u>INCLUDE</u>	<u>DTID (3831) Medical Device Use</u>	1-n	<u>U</u>		<u>\$Device = DCID (3777) Implanted Devices</u>

Add the following templates to PS3.16 Annex A

TID 3829 Problem Properties

TID 3829 Parameters

Parameter Name	Parameter Usage
\$Problem	Coded Value or Context Group for problem
\$ModType	Modifier Name for Concept Name of problem
\$ModValue	Modifier Value for Concept Name of problem
\$Therapy	Coded Value or Context Group for therapy received for problem

**TID 3829
Problem Properties
Type: Extensible**

	NL	Relation with Parent	Value Type	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV(121430, DCM,"Concern")	1	M		
2	>	CONTAINS	DATETIME	DT (121431, DCM, "Datetime Concern Noted")	1	U		
3	>	CONTAINS	DATETIME	DT (121432, DCM, "Datetime Concern Resolved")	1	U		
4	>	CONTAINS	CODE	DCID (3769) Concern Types	1	M		\$Problem
5	>>	HAS CONCEPT MOD	CODE	\$ModType	1-n	U		\$ModValue
6	>>	HAS PROPERTIES	DATETIME	DT (111526, DCM, "Datetime Started")	1	U		
7	>>	HAS PROPERTIES	DATETIME	DT (121433, DCM, "Datetime Problem Resolved")	1	U		
8	>>	HAS PROPERTIES	CODE	DT (33999-4, LN, "Status")	1	U		DCID (3770) Problem Status
9	>>	HAS PROPERTIES	CODE	DT (G-C197, SRT, "Severity")	1	U		DCID (3716) Severity
10	>	CONTAINS	CODE	DT (11323-3, LN, "Health status")	1	U		DCID (3772) Health Status
11	>	CONTAINS	CODE	EV (P0-0000E, SRT, "Therapy")	1-n	U		\$Therapy
12	>>	HAS PROPERTIES	CODE	DT (33999-4, LN, "Status")	1	U		DCID (3773) Use Status
13	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

TID 3830 Procedure Properties

TID 3830 Parameters

Parameter Name	Parameter Usage
\$ProcType	Coded Value for class of procedure
\$Procedure	Coded Value or Context Group for procedure
\$ModType	Modifier Name for Concept Name of procedure
\$ModValue	Modifier Value for Concept Name of procedure

**TID 3830
Procedure Properties
Type: Extensible**

	NL	Relation with Parent	Value Type	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	\$ProcType	1	M		\$Procedure
2	>	HAS CONCEPT MOD	CODE	\$ModType	1-n	U		\$ModValue
3	>	HAS PROPERTIES	DATETIME	DT (111526, DCM, "Datetime Started")	1	U		
4	>	HAS PROPERTIES	COMPOSITE	EV (R-42B89, SRT, "Clinical Report")	1-n	U		
5	>>	HAS PROPERTIES	CODE	EV (121144, DCM, "Document Title")	1	U		
6	>	HAS PROPERTIES	TEXT	EV (R-42B89, SRT, "Clinical Report")	1-n	U		Description of report with URL or other reference for report
7	>	HAS PROPERTIES	TEXT	DT (121434, DCM, "Service Delivery Location")	1	U		
8	>	HAS PROPERTIES	PNAME	DT (121435, DCM, "Service Performer")	1	UC	IF Service Performer is a person	
9	>	HAS PROPERTIES	TEXT	DT (121435, DCM, "Service Performer")	1	UC	IF Service Performer is an organization	
10	>	HAS PROPERTIES	TEXT	EV (121106, DCM, "Comment")	1	U		

TID x3831 Medical Device Use

TID x3831 Parameters

Parameter Name	Parameter Usage
\$Device	Coded Value for type of device

TID 3831
Medical Device Use
Type: Extensible

	NL	Relation with Parent	Value Type	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV(121436, DCM, "Medical Device Used")	1	M		\$Device
2	>	HAS PROPERTIES	DATETIME	DT (111526, DCM, "Datetime Started")	1	U		
3	>	HAS PROPERTIES	DATETIME	DT (111527, DCM, "Datetime Ended")	1	U		
4	>	HAS PROPERTIES	CODE	DT (33999-4, LN, "Status")	1	U		DCID (3773) Use Status
5	>	HAS PROPERTIES	TEXT	EV (121106, DCM, "Comment")	1	U		

Modify the following context groups in PS3.16 Annex B

CID 3716 Severity

**Context ID 3716
Severity**

Type: Extensible Version: 2003032720070827

Coding Scheme Designator	Code Value	Code Meaning
SRT	R-40775	None
SRT	R-404FA	Mild
SRT	R-00329	Mild to Moderate
SRT	G-A002	Moderate
SRT	R-00330	Moderate to Severe
SRT	G-A003	Severe
<u>SRT</u>	<u>R-4099D</u>	<u>Fatal</u>

CID 3719 Canadian Clinical Classification

**Context ID 3719
Canadian Clinical Classification**

Type: Extensible Version: 2003032720070827

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning	NCDR [2.0b] Equivalent
NCDR <u>SRT</u>	2.0b	50-0 <u>F-A265A</u>	Class 0 <u>Chest pain not present</u>	<u>50-0</u>
NCDR <u>SRT</u>	2.0b	50-I <u>D3-12001</u>	<u>Angina</u> Class I	<u>50-I</u>
NCDR <u>SRT</u>	2.0b	50-II <u>D3-12002</u>	<u>Angina</u> Class II	<u>50-II</u>
NCDR <u>SRT</u>	2.0b	50-III <u>D3-12003</u>	<u>Angina</u> Class III	<u>50-III</u>
NCDR <u>SRT</u>	2.0b	50-IV <u>D3-12004</u>	<u>Angina</u> Class IV	<u>50-IV</u>

Note: In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3720 Cardiac History Dates (retired)

This Context Group is retired. See PS3.16-2007.

**Context ID 3720
Cardiac History Dates**

Type: ~~Extensible~~ Version: ~~20030327~~

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	41	Date of Previous Percutaneous Coronary Intervention
NCDR	2.0b	43	Date of Previous Coronary Artery Bypass Graft
NCDR	2.0b	45	Date of Previous Valvular Surgery

CID 3721 Cath Patient History Cardiovascular Surgeries

**Context ID 3721
Cath Patient History Cardiovascular Surgeries**

Type: Extensible Version: ~~20030327~~20070827

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning	<u>NCDR [2.0b] Equivalent</u>
NCDR <u>SRT</u>	2.0b	40 <u>R-102B4</u>	previous pre Percutaneous coronary intervention	40
NCDR <u>SRT</u>	2.0b	42 <u>P1-3301A</u>	previous cardiovascular surgery <u>Coronary artery bypass graft</u>	42
NCDR <u>SRT</u>	2.0b	44 <u>P1-32000</u>	previous valvular surgery <u>Operation on heart valve</u>	44
NCDR	2.0b	29	family history of coronary artery disease	29
<u>SRT</u>		<u>P1-31C03</u>	<u>Ablation operation for arrhythmia</u>	
<u>SRT</u>		<u>P0-004BA</u>	<u>Implantation of cardiac pacemaker</u>	
<u>SRT</u>		<u>P1-3157D</u>	<u>Implantation of automatic cardiac defibrillator</u>	
<u>SRT</u>		<u>P1-0555A</u>	<u>Abdominal aortic aneurysm stenting</u>	
<u>SRT</u>		<u>P1-31D00</u>	<u>Heart transplant</u>	
<u>DCM</u>		<u>121439</u>	<u>Correction of congenital cardiovascular deformity</u>	

Note: In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3722 Diabetic Therapy

**Context ID 3722
Diabetic Therapy**

Type: Extensible Version: 2003032720070827

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning	<u>NCDR [2.0b] Equivalent</u>
<u>NCDR SRT</u>	2.0b	31-1 <u>P2-0001E</u>	<u>Dietary Treatment</u>	<u>31-1</u>
<u>NCDR SRT</u>	2.0b	31-2 <u>F-02F15</u>	Oral Agent Treatment	<u>31-2</u>
<u>NCDR SRT</u>	2.0b	31-3 <u>P0-00075</u>	Insulin Regime	<u>31-3</u>

Note: In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3723 MI Types

**Context ID 3723
MI Types**

Type: Extensible Version: 2003032720070827

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning	<u>NCDR [2.0b] Equivalent</u>
<u>NCDR SRT</u>	2.0b	94-1 <u>D3-1511A</u>	Non ST Elevation Myocardial Infarction	<u>94-1</u>
<u>NCDR SRT</u>	2.0b	94-2 <u>D3-15119</u>	ST Elevation Myocardial Infarction	<u>94-2</u>
<u>NCDR</u>	2.0b	94-0	No documented Myocardial Infarction	

Note: In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3724 Smoking History

**Context ID 3724
Smoking History**

Type: Extensible Version: 2003032720070827

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning	<u>NCDR [2.0b] Equivalent</u>
<u>NCDR SRT</u>	2.0b	38-0 <u>F-9321F</u>	No History of Smoking	<u>38-0</u>
<u>NCDR SRT</u>	2.0b	38-1 <u>S-32000</u>	Current Smoker	<u>38-1</u>
<u>NCDR SRT</u>	2.0b	38-2 <u>S-32070</u>	Former Smoker	<u>38-2</u>

Note: In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3729 Admission Status

**Context ID 3729
Admission Status**

Type: Extensible

Version: 2003032720070827

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning	NCDR [2.0b] Equivalent
NCDR <u>SRT</u>	2.0b	47-1 <u>P0-10010</u>	Referral/Elective	<u>17-1</u>
NCDR <u>SRT</u>	2.0b	47-2 <u>P0-10800</u>	Emergency Department	<u>17-2</u>
NCDR <u>SRT</u>	2.0b	47-3 <u>P0-10210</u>	Transfer	<u>17-3</u>
NCDR	2.0b	47-4	Other	<u>17-4</u>

Note: In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3736 NYHA Classification

**Context ID 3736
NYHA Classification**

Type: Extensible

Version: 2003032720070827

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning	NCDR [2.0b] Equivalent
NCDR <u>SRT</u>	2.0b	47-I <u>F-3018B</u>	NYHA Class I	<u>47-I</u>
NCDR <u>SRT</u>	2.0b	47-II <u>F-3018C</u>	NYHA Class II	<u>47-II</u>
NCDR <u>SRT</u>	2.0b	47-III <u>F-3018D</u>	NYHA Class III	<u>47-III</u>
NCDR <u>SRT</u>	2.0b	47-IV <u>F-3018E</u>	NYHA Class IV	<u>47-IV</u>

Note: In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3756 Cath Cardiac Patient Risk Factors

Context ID 3756

Cath Cardiac Patient Risk Factors

Type: Extensible

Version: 2005041020070827

Coding Scheme Designator	Code Value	Code Meaning	NCDR 2.0b Equivalent Code Value
SRT	G-026D	History of congestive heart failure	30
SRT	G-023F	History of diabetes	31
SRT	R-102B6	History of renal failure	32
SRT	R-102B7	History of chronic lung disease	33
SRT	G-0102	History of cerebrovascular disease	34
SRT	D3-8005B	Peripheral vascular disease	35
<u>SRT</u>	<u>G-03AA</u>	<u>History of myocardial infarction</u>	<u>36</u>
SRT	G-0269	History of hypertension	37
SRT	R-102B8	History of hypercholesterolemia	39
<u>SRT</u>	<u>D3-30000</u>	<u>Arrhythmia</u>	

Note: In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

Add the following context groups to PS3.16 Annex B

CID 3757 Cardiac Diagnostic Procedures

**Context ID 3757
Cardiac Diagnostic Procedures**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	P0-006E4	Exercise Tolerance Test
SRT	P5-D0050	Perfusion imaging (nuclear)
SRT	P5-B3009	Exercise Stress echo
SRT	P5-B3000	Echocardiography
SRT	P2-31107	Pharmacological stress test
DCM	121437	Pharmacologic and exercise stress test
DCM	121438	Paced stress test
SRT	P1-31600	Cardiac catheterization
SRT	P5-09100	Magnetic resonance angiography
SRT	P5-08025	Cardiac CT

CID 3758 Cardiovascular Family History

**Context ID 3758
Cardiovascular Family History**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	G-032F	Family history of cardiovascular disease
SRT	G-0157	Family history of diabetes mellitus
SRT	G-011E	Family history of myocardial infarction

CID 3760 Hypertension Therapy

**Context ID 3760
Hypertension Therapy**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	C-80135	Beta blocker
SRT	C-80160	Calcium channel blocker

SRT	C-81520	Nitrate vasodilator
SRT	C-80150	ACE inhibitor
SRT	C-81300	Angiotensin II receptor antagonist
SRT	C-72000	Diuretic

CID 3761 Antilipemic agents

**Context ID 3761
Antilipemic agents**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	C-80609	Anion exchange resin
SRT	C-80610	Bile acid sequestrant
SRT	C-80680	Fibrate
SRT	C-8060A	Fish oils
SRT	C-80800	Statins

CID 3762 Antiarrhythmic agents

**Context ID 3762
Antiarrhythmic agents**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	F-6181B	class I antiarrhythmic agent
SRT	F-61861	class II antiarrhythmic agent
SRT	F-61995	class III antiarrhythmic agent
SRT	F-618AE	class IV antiarrhythmic agent

CID 3764 Myocardial Infarction Therapies

**Context ID 3764
Myocardial Infarction Therapies**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	R-102B4	Percutaneous coronary intervention
SRT	P1-33530	Insertion of coronary artery stent
SRT	P1-3301A	Coronary artery bypass graft
SRT	P0-00C29	Thrombolytic therapy

CID 3769 Concern Types

**Context ID 3769
Concern Types**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	F-04BA9	Complaint
SRT	DF-00000	Disease
SRT	R-005AE	Finding
SRT	R-005E0	Finding reported by patient/informant
SRT	F-03E55	Functional performance and activity
SRT	F-01000	Problem

CID 3770 Problem Status

**Context ID 3770
Problem Status**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	R-42501	Active problem
SRT	G-A270	Chronic
SRT	G-A397	Intermittent
SRT	G-A39A	Recurrent
SRT	G-A47B	Suspected
SRT	R-42502	Inactive problem
SRT	F-04B88	Problem resolved
SRT	G-A46B	Known absent
SRT	P0-30450	Well controlled

CID 3772 Health Status

**Context ID 3772
Health Status**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	F-00001	Alive and well
SRT	F-029D4	In remission

SRT	R-209F6	Symptom free
SRT	F-0600C	Chronically ill
SRT	F-06001	Severely ill
SRT	F-00100	Disabled
SRT	F-0351E	Severely disabled
SRT	F-04DA1	Deceased

CID 3773 Use Status

**Context ID 3773
Use Status**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	G-D316	Ended
SRT	G-D30F	Suspended
SRT	G-D30B	In progress

CID 3774 Social History

**Context ID 3774
Social History**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	F-93109	Tobacco Smoking Behavior
SRT	F-931D4	Drug misuse behavior
SRT	R-40C16	Exercise
SRT	F-045CE	Nutrition
SRT	F-02573	Alcohol consumption

CID 3777 Implanted Devices

**Context ID 3777
Implanted Devices**

Type: Extensible Version: 20070827

Coding Scheme	Code Value	Code Meaning
SRT	A-11100	Cardiac pacemaker

SRT	A-11206	Implantable defibrillator
SRT	A-11FCD	Left ventricular assist device
SRT	A-28040	Insulin pump

Add the following terms to PS3.16 Annex D

121430	Concern	Identified issue about a state or process that has the potential to require intervention or management	
121431	Datetime Concern Noted	Datetime concern noted (noted by whom is determined by context of use)	
121432	Datetime Concern Resolved	Datetime the concern was resolved	
121433	Datetime Problem Resolved	Datetime the problem was resolved	
121434	Service Delivery Location	Place at which healthcare services may be provided	
121435	Service Performer	Identification of a healthcare provider who performed a healthcare service; may be either a person or an organization	
121436	Medical Device Used	Type or identifier of a medical device used on, in, or by a patient	
121437	Pharmacologic and exercise stress test	Cardiac stress test using pharmacologic and exercise stressors	
121438	Paced stress test	Cardiac stress test using an implanted or external cardiac pacing device	
121439	Correction of congenital cardiovascular deformity	Procedure for correction of congenital cardiovascular deformity	