

DICOM Correction Item

Correction Number	CP-912
Log Summary: Allow Specific Character Set in C-MOVE/C-GET request	
Type of Modification	Name of Standard
Correction	PS 3.4 – 2008
Rationale for Correction	
The identifier in a C-MOVE or C-GET request message can contain a Patient ID (0010,0020) (VR = LO) that is using an other character set than the default character set. In that case the Specific Character Set (0008,0005) must be present for the correct interpretation of the attribute.	
Sections of documents affected	
PS 3.4 C.4.2.1.4.1 and C.4.3.1.3.1	
Correction Wording:	

C.4.2.1.4.1 Request Identifier Structure

An Identifier in a C-MOVE request shall contain:

- the Query/Retrieve Level (0008,0052) which defines the level of the retrieval
- Unique Key Attributes which may include Patient ID (0010,0020), Study Instance UIDs (0020,000D), Series Instance UIDs (0020,000E), and the SOP Instance UIDs (0008,0018)

Specific Character Set (0008,0005) shall **not** be present **if Patient ID (0010,0020) is using a character set other than the default character repertoire.**

The Unique Keys at each level of the hierarchy and the values allowable for the level of the retrieval shall be defined in the SOP Class definition for the Query/Retrieve Information Model.

Note: In the Baseline behavior, more than one entity may be retrieved if the Query/Retrieve Level is IMAGE, SERIES or STUDY, using List of UID matching, but only Single Value Matching value may be specified for Patient ID (0010,0020).

C.4.3.1.3.1 Request Identifier Structure

An Identifier in a C-GET request shall contain:

- the Query/Retrieve Level (0008,0052) which defines the level of the retrieval
- Unique Key Attributes which may include Patient ID (0010,0020), Study Instance UIDs (0020,000D) Series Instance UIDs (0020,000E), and SOP Instance UIDs (0008,0018)

Specific Character Set (0008,0005) shall **not** be present **if Patient ID (0010,0020) is using a character set other than the default character repertoire.**

The Unique Keys at each level of the hierarchy and the values allowable for the level of the retrieval shall be defined in the SOP Class definition for the Query/Retrieve Information Model.

CP-912

Allow Specific Characterset in C-MOVE/C-GET request

Date 2009/01/19

Status: Final Text

Note: In the Baseline behavior, more than one entity may be retrieved if the Query/Retrieve Level is IMAGE, SERIES or STUDY, using List of UID matching, but only Single Value Matching value may be specified for Patient ID (0010,0020).